AUTHOR INDEX, VOLUME 11

Abe, S.: see Iiyama, S.

Afifi-Effat, A. M., Hay, J. N., and Wiles, M.: Determination of the Molecular Weight Distribution of Polymers by Temperature Drop Turbidimetry, 87

Aida, H.: see Kodaira, T.

Ando, M.: see Sumitomo, H.

Angell, C. A.: see Williams, E.

Baker, R. T. K., Harris, P. S., Waite, R. J., and Roper, A. N.: Continuous Electron Microscopic Observation of the Behavior of Ziegler-Natta Catalysts, 45

Baker, R. W.: see So, M. T.

Bebbington, G. H.: see Kaplan, M. L.

Bhandani, S. N.: see Ghose, A.

Biscar, J. P. and Kollias, N.: Pseudo-Raman Behavior of the Scattering Broad Band of BSA, 725

Biswas, M. and Mishra, P. K.: Some Aspects of the Polymerization of α-Methyl Styrene and N-Vinyl Pyrrolidone by $AsCl_3$ and $POCl_3$, 639

Blake, A. E., Charlesby, A., and Randle, K. J.: High Temperature Thermo-luminescence in Polyethylene, 165

Blumstein, A.: see Blumstein, R.

Blumstein, R., Murphy, G. J., Blumstein, A., and Watterson, A. C.: An Improved Methylating Agent for Poly(methacrylic) Acid: 1-Methyl-3-p-Tolyltriazene, 21

Borsig, E.: see Szöcs, F.

Bottreau, A. M., Marzat, C., Lacroix, Y., and Sztark, M.: Mesures en Ondes Millimétriques de la Biréfringence par Etirement d'Elastomeres, 123

Bourdaudurq, P.: see Warin, R.

Boyer, R. F. and Simha, R.: Relation Between Expansion Coefficients and Glass Temperature: A Reply, 33

Brosse, J. C.: see Pinazzi, C. P.

Buenemann, H.: see Dattagupta, N.

Burk, E. H.: see Wolgemuth, L. G.

Cabaness, W. R.: see Mast, C. J.

Carlsson, D. J. and Wiles, D. M.: The Involvement of Singlet Oxygen ($^1\Delta_g$) in the Photodegradation of Polypropylene. Speculation on the Origin of $^1O_2$ in the Polymer, 759

–, Suprunchuk, T., and Wiles, D. M.: The Possible Importance of Singlet Oxygen Quenching Reactions in the Photostabilization of Pololefins, 61

–, Parnell, R. D., and Wiles, D. M.: The Photodegradation of Poly(1,3-Phenylene Isophthalamide) Films Under Vacuum, 149

–, Gan, L. H., Parnell, R. D., and Wiles, D. M.: The Photodegradation of Poly(1,3-Phenylene Isophthalamide) Films in Air, 683

Cattiaux, J.: see Pinazzi, C. P.

Chang, R.: see Santee, E. R., Jr.

Chapoy, L. L. and Kops, J.: Conformational-Induced Relaxation Effects in Polymers Containing In-Chain Alicyclic Ring Structures, 515

Charlesby, A.: see Blake, A. E.

Chebotaryev, V. P.: see Korshak, V. V.

Chochlova, L. V.: see Razuvaev, G. A.

Chûjô, R.: see Inoue, Y.

Churlyaeva, L. A.: see Klepikova, V. I.

Clague, A. D. H., van Broekhoven, J. A. M., and De Haan, J. W.: ^{13}C NMR of 1,4-Polybutadiene, 299

Cooper, M. and Manley, R. St. J.,: Growth Kinetics of Polyethylene Crystals from Dilute Xylene Solution, 363

Corneliussen, R. D.: see Kantz, M. R.

Crane, L. W., Dynes, P. J., and Kaelble, D. H.: Analysis of Curing Kinetics in Polymer Composites, 533

Dattagupta, N. and Buenemann, H.: A New Type of Polymeric Carrier for Immobilization of Biologically Specific Molecules, 189

Dawans, F.: see Warin, R.

De Batist, R.: see Kim, B. H.

DeBoer, C. D.: Fast, Stable Photosensitive Polymers Containing Cyclopropene Groups, 25

De Haan, J. W.: see Clague, A. D. H.

Delf, B. W.: see Lenz, R. W.

Deshpande, A. B.: see Gandhi, V. G.

Dilli, S., Garnett, J. L., and Phuoc, D. H.: Effect of Acid on the Radiation-Induced Copolymerization of Monomers

to Cellulose, 711
Doji, K.: see Sakamoto, M.
Dubova, Z. B.: Razuvaev, G. A.
Duffy, J.: Crosslinked Polyamide-Quinoxalines, 29
Dynes, P. J.: see Crane, L. W.
Eirich, F. R.: see So, M. T.
El-Aasser, M. S.: see Ugelstad, J.
Emsley, J. W., Ivin, K. J., and Lillie, E. D.: Effect of Deuterium-Decoupling on the NMR Spectrun of Poly(Propene-2-d, Sulfide), 245
Ergoz, E. and Mandelkern, L.: Solvent Influence on the Dilute Solution Crystallization of Polyethylene and Polyoxymethylene, 73
Fedorov, B. A.: see Serdyuk, I. N.
Fedors, R. F.: A Relationship Between the Volume and Chemical Structure at the Glass Transition Temperature, 767
Finocchiaro, P.: see Montaudo, G.
Fripiat, J. J.: see Zapata, L.
Fujinami, T.: see Sakai, S.
Fujisawa, T.: see Kobayashi, N.
Furukawa, J. and Mizoe, Y.: Ring-Opening Polymerization of cis,trans-cyclodeca 1,5-Diene, 263
–, Kobayashi, E., Kawagoe, T., Katsuki, N., and Imanari, M.: Carbon-13 NMR Spectrum of Equibinary (cis-1,4-trans-1,4) Polybutadiene, 239
–, –, and –: Random Copolymerization of Acetylene and Butadiene, 573
–, Kakutani, M., and Kobayaski, N.: Preparation of Poly(Alkyl-and Aryl-p-phenoxyphenylsulfonium Salts), 721
Furuta, M.: Microstructure of an Emulsion Particle of Poly (vinyl Acetate) by the Freeze-Etching Technique, 113
Galin, M.: see Guillet, J. E.
Gan, L. H.: see Carlsson, D. J.
Gandhi, V. G., Deshpande, A. B., and Kapur, S. L.: Complex Formation of Methyl Methacrylate with Ziegler-Natta Catalyst Complex in Carbon Tetrachloride Medium, 745
Gargani, L.: see Locati, G.
Garnett, J. L.: see Dilli, S.
–,: see Kenyon, R. S.
Gaylord, N. G. and Maiti, S.: Participation of Excited Species in Radical Catalyzed Homopolymerization of Maleic Anhydride, 253
George, M. H. and Hayes, G. F.: The Kinetics of Free Radical Polymerization of Vinylferrocene, 471
Gerberding, K.: see Overberger, C. G.
Ghose, A. and Bhadani, S. N.: Electrochemical Polymerization of Trioxane with Tetraethylammonium Hexachloroantimonate, 755
Gilbert, R. D.: see Kim, S.
Gillbro, T.: Anion Radicals of Acrylic Monomers in γ-Irradiated Organic Glasses at 77°K, 309
Goethals, E. J. and Schacht, E. H.: Cationic Polymerization of Cyclic Imines. II. 300 MHz ^{1}H-NMR Study of the Structure and Concentration of Propagating Species during the Polymerization of 1,3,3-Trimethylazetidine, 497
Goldfinger, G. and Stafford, L.: The Color of Absorbing Scattering Substates. II. The Prediction of the Color of a Fiber Bundle, 701
–, Lau, K. C., and McGregor, R.: The Effect of the Distribution of Colorant on the Color of Fibers, 481
Golub, M. A. and Sung, M.–T.: Thermal Cyclization of 1,2-Polybutadiene and 3,4-Polyisoprene, 129
Griffiths, P. J. F., Hughes, J. G., and Park, G. S.: Oxygen Inhibition in Polypropylene Glycol Autoxidation, 157
Guillet, J. E. and Galin, M.: Studies of Polyacrylonitrile Structure, by Inverse Chromatography, 233
Hagiwara, M., Tagawa, T., Tsuchida, E., Shinohara, I., and Kagiya, T.: Radiation-Induced Crosslinking of Polyethylene in the Presence of Various Acetylenic Compounds, 613
Harris, P. S.: see Baker, R. T. K.
Hartless, R. L.: see Kaplan, M. L.
Hasegawa, M.: see Suzuki, Y.
Hashimoto, K.: see Sumitomo, H.
Hatada, K.: see Tanaka, Y.
Hay, J. N.: see Afifi-Effat, A. M.
Hayashi, K.: see Sato, K.
Hayes, G. F.: see George, M. H.
Hirukawa, H.: see Imai, Y.
Hofman, J.: see van der Does, L.
Hughes, J. G.: see Griffiths, P. J. F.
Hyde, P., Kricka, L. J., and Ledwith, A.: N-Acryloyldibenz [b,f] azepine–A New Monomer for the Synthesis of Photocrosslinkable Copolymers, 415
Ichikawa, M.: see Noguchi, T.

Iiyama, S., Abe, S., and Namba, K.: Dehydration Effect to Radiation Induced Polymerization of Acrylonitrile, 81
Iizumi, M.: see Sakamoto, M.
Ikeda, S.: see Soga, K.
Imai, Y. and Hirukawa, H.: A Novel Polysulfonamide by the Ring-Opening Polymerization of Ethanesultam with Water Catalysis, 271
Imanari, M.: see Furukawa, J.
Inoue, Y., Koyama, K., Chûjô, R., and Nishioka, A.: Carbon-13 Nuclear Magnetic Resonance Spectroscopy of Polymethacrylonitrile, 55
Ivin, K. J.: see Emsley, J. W.
Kaelble, D. H.: see Crane, L. W.
Kagiya, T.: see Hagiwara, M.
Kakutani, M.: see Fujisawa, T.
Kantz, M. R. and Corneliussen, R. D.: Thermoplastic Fiber Reinforced Polypropylene Composites Having a Transcrystalline Morphology, 279
Kaplan, M. L., Kelleher, P. G., Bebbington, G. H., and Hartless, R. L.: Polymer Stabilization with a Chemically Bonded Antioxidant, 357
Kapur, S. L.: see Gandhi, V. G.
Kasuga, M.: see Ogura, K.
Katsuki, N.: see Furukawa, J.
Kawagoe, T.: see Furukawa, J.
Kelleher, P. G.: see Kaplan, M. L.
Keller, A.: see Patel, G. N.
Kenyon, R. S. and Garnett, J. L.: Acid Catalyzed Grafting of Monomers to Wool, 651
Kim, B. H. and De Batist, R.: Negative Coefficient of Thermal Expansion in Polyethylene, 121
Kim, S., Stannett, V. T., and Gilbert, R. D.: A New Class of Biodegradable Polymers, 731
Klepikova, V. I., Kondratenkow, G. P., Kormer, V. A., Lobach, M. I., and Churlyaeva, L. A.: Polymerization of Butadienes, C_4H_6, C_4D_6, and $C_4D_4H_2$ under the Influence of π-Crotylnickel Iodide, 193
Kobayashi, E.: see Furukawa, J.
Kobayashi, N.: see Fujisawa, T.
–, Osawa, A., and Fujisawa, T.: Sulfur-Containing Polymers. IX. Bis(Oxycarbonyl) Disulfides. Effective Reagents for Oxidative Coupling of Dithiols, 225
–, –, and –,: Sulfur-Containing Polymers. XI. Reaction of Bis(Dithiocarbonyl Chlorides) with Dithiols. A New Route to Alternating Copolydisulfides, 679
Kodaira, T., Morishita, K., Yamaoka, H., and Aida, H.: Cyclopolymerization. I. An Electron Spin Resonance Study of Irradiated N-Methyldimethylacrylamide, 347
Kollias, N.: see Biscar, J. P.
Konda, A., Tsukada, M., and Kuroda, S.: The Change of Thermal Property of Wool Keratin with Drawing, 247
Kondratenkow, G. P.: see Klepikova, V. I.
Kops, J.: see Chapoy, L. L.
Kormer, V. A.: see Klepikova, V. I.
Korshak, V. V., Teplyakov, M. M., and Sergeev, V. A.: New Method for Synthesis of Polymers of the Polyphenylene Type Applying Polycyclocondensation of Diacetylaromatic Compounds, 583
–, –, and Chebotaryev, V. P.: New Method of Synthesis of Polyphenylene Type Polymers Using Polycyclocondensation of Ketals, 589
Koyama, K.: see Inoue, Y.
Kricka, L. J.: see Hyde, P.
Kruh, D.: Pseudo-Gelation in Novel Poly-(amide-Imide Imides), 139
Kumar, N. G.: Synthesis of 2-Vinylbenzimidazole, 461
Kuriyama, I.: see Sakamoto, M.
Kuroda, S.: see Konda, A.
Lacroix, Y.: see Bottreau, A. M.
Lau, K. C.: see Goldfinger, G.
Laverty, J. J.: Hydrosilylation of Unsaturated Polyesters, 327
Ledwith, A.: see Hyde, P.
Lenz, R. W.: see MacKnight, W. J.
– and Delf, B. W.: Crystal Structures of Poly(Ester Acetals) of Methyl Azelaaldehydate Glycerol Acetals, 609
Li, H.-M.: see Magill, J. H.
Lieser, G.: see Mateva, R.
Lillie, E. D.: see Emsley, J. W.
Lobach, M. I.: see Klepikova, V. I.
Locatelli, J.-L. and Riess, G.: Preferential Solvation and Difference of Composition between Grafted and Ungrafted SAN Copolymers in ABS Resins, 257
Locati, G. and Gargani, L.: Dependence of Zero-Shear Viscosity on Molecular Weight Distribution, 95
Luner, P.: see Sandell, L. S.
Machi, S.: see Wada, T.
MacKnight, W. J.: see Sanui, K.

Maeshima, T.: see Matsubara, Y.
Magill, J. H. and Li, H.-L.: A Useful Viscosity Temperature Relation, 667
Maiti, S.: see Gaylord, N. G.
Mandelkern, L.: see Ergoz, E.
Manley, R. St. J.: see Cooper, M.
Marzat, C.: see Bottreau, A. M.
Masaki, N.: see Sakamoto, M.
Mast, C. J. and Cabaness, W. R.: The Effect of Zinc Chloride on the Copolymerization of Acrylic Acid and Acrylamide, 161
Mateva, R., Wegner, G., and Lieser, G.: Growth of Polyoxymethylene Crystals during Cationic Polymerization of Trioxane in Nitrobenzene, 369
Matsubara, Y., Nakanishi, T., Yoshihara, M., and Maeshima, T.: The Polymerization of 3(2-Substituted)6-Acryloxypyridazinones, 303
Matsuzaki, K.: see Nakamura, S.
–: see Uryu, T.
McGregor, R.: see Goldfinger, G.
Melillo, L.: see Treiber, G.
Mercier, J. P.: see Zapata, L.
Meyuhas, G. S., Moses, A., Reibenbach, Y., and Tadmor, Z.: Continuous Polymerization in Extruder Reactor, 103
Mikawa, H.: see Yoshimura, M.
Miles, M. J. and Mills, N. J.: The Yield Locus of Polycarbonate, 563
Mills, N. J.: see Miles, M. J.
Minakawa, N.: see Sakamoto, M.
Mishra, P. K.: see Biswas, M.
Mizoe, Y.: see Furukawa, J.
Mochel, V. D.: see Santee, E. R., Jr.
Montaudo, G. and Overberger, C. G.: Effect of Strong Acids on the Circular Dichroism Spectra of Stereoregular Polyamides Derived from (+)-1,3-trans-Cyclohexanedicarboxylic Acid, 625
Montaudo, G., Finocchiaro, P., and Overberger, C. G.: Application of the Lanthanide Shift Reagents to the Study of the Conformation of Structurally Rigid Polyamides, 619
Morishita, K.: see Kodaira, T.
Morton, M.: see Santee, E. R., Jr.
Moses, A.: see Meyuhas, G. S.
Motohashi, H.: see Sakamoto, M.
Murakami, K. and Tamura, S.: Degradation Mechanism of Natural Rubber Vulcanizates at High Temperature, 317
–, –, and Nakanishi, H.: Chemorheology of Linear Polymers, 313
– and –: Degradation Mechanism of Cross-Linked Polymers under Different Atmosphere, 529
Murphy, G. J.: see Blumstein, R.
Nakamura, S.: see Ogura, K.
–, Sato, H., and Matsuzaki, K.: Novel Method for Preparing Highly Branched Graft Copolymers, 221
Nakamura, Y.: see Noguchi, T.
Nakanishi, H.: see Murakami, K.
Nakanishi, T.: see Matsubara, Y.
Namba, K.: see Iiyama, S.
Nichols, J. D.: The Thermal Stabilization of Poly(Vinyl Chloride) by Allyl Xanthatate Substitution, 705
Nishikawa, N.: see Suzuki, Y.
Nishioka, A.: see Inoue, Y.
Noguchi, T., Nakamura, Y., and Ichikawa, M.: Stereospecific Trans-1,4-Polymerization of Butadiene by the Alkenyl Amine-Potassium Salts, 15
Northolt, M. G. and van Aartsen, J. J.: On the Crystal and Molecular Structure of Poly(P-Phenylene Terephthalamide), 333
Odajima, A.: see Sakamoto, M.
Ogasawara, M.: see Sato, K.
Ogura, K., Sobue, H., Kasuga, M., and Nakamura, S.: A Conformational Change of Cellulose Triacetate in Solution, 421
Osawa, A.: see Kobayashi, N.
Overberger, C. G.: see Montaudo, G.
– and Gerberding, K.: Synthesis and Polymerization of 2-Vinylimidazole and 2-Vinylbenzimidazole, 465
Park, G. S.: see Griffiths, P. J. F.
Parnell, R. D.: see Carlsson, D. J.
Patel, G. N. and Keller, A.: On the Effect of Ionizing Radiation on Hydrocarbons and Polyethylene in their Crystalline, 737
Patel, J. and Phillips, P. J.: The Young's Modulus of Polyethylene, 775
Perec, L.: Solvent Effect on the Radiochemical Copolymerization of Acrylamide with Acrylonitrile, 267
Phillips, P. J.: see Patel, J.
Phuoc, D. H.: see Dilli, S.
Pinazzi, C. P., Cattiaux, J., Soutif, J. C., and Brosse, J. C.: Ring-Opening Polymerization: Polymerization of Bicyclo [6.1.0] Non-4-Ene and 9,9-Dichloro Bicyclo [6.1.0] Non-4-Ene, 1

Plaček, J.: see Szöcs, F.
Randle, K. J.: see Blake, A. E.
Razuvaev, G. A., Troitskii, B. B., Chochlova, L. V., and Dubova, Z. B.: Thermal Degradation of Ethylene-Vinyl Acetate Copolymer, 521
Reibenbach, Y.: see Meyuhas, G. S.
Riess, G.: see Locatelli, J. L.
Rodriguez, F.: Graphical Solution of the Martin Equation, 485
Rogers, C. E.: see Sudduth, R. D.
Roper, A. N.: see Baker, R. T. K.
Sakai, S., Fujinami, T., and Sakurai, S.: Cationic Ring-Opening Polymerization of Spiro-Orthocarbonates, 631
Sakamoto, M., Iizumi, M., Masaki, N., Motohashi, H., Minakawa, N., Doji, K., Kuriumas, I., Yoda, O., Tamura, N., and Odajima, A.: Measurements of Longitudinal Accoustic Phonons in Polytetrafluoroethylene, 377
Sakurai, S.: see Sakai, S.
Sandell, L. S. and Luner, P.: The Molecular Organization of Cellulose Triacetate Monomers at the Air-Water Interface. Comparison with a Model System, 525
Santee, E. R., Jr., Chang, R., and Morton, M.: 300 MHz Proton NMR of Polybutadiene: Measurement of cis-trans Isomeric Content, 449
–, Mochel, V. D., and Morton, M.: Proton NMR of Polybutadiene at 300 MHz: cis-1,4-trans-1,4 Linkages, 453
Sanui, K., MacKnight, W. J., and Lenz, R. W.: The Hydrogenation of a Polypentanamer and Thermal Properties of the Resulting Products, 427
Sarbolouki, M. N.: Preparation of the Skinned Membranes without Evaporation Step, 753
Sato, H.: see Nakamura, S.
Sato, K., Ogasawara, M., and Hayashi, K.: Effect of Supporting Electrolyte on the Electronitiated Polymerization of Acrylonitrile, 5
Schacht, E. H.: see Goethals, E. J.
Serdyuk, I. N. and Fedorov, B. A.: A New Method of Studying the Structure of Block Copolymers in Solution, 645
Sergeev, V. A.: see Korshak, V. V.
Shimazu, H.: see Uryu, T.
Shinohara, I.: see Hagiwara, M.
Shirota, Y.: see Yoshimura, M.
Simha, R.: see Boyer, R. F.
Snyder, S. L. and Welch, C. M.: Charge-Transfer Complexes of 3,5-Dinitrobenzoyl Cotton Cellulose, 695
Sobue, H.: see Ogura, K.
Soga, K. and Ikeda, S.: Copolymerization of Carbon Dioxide and N-Phenylethyleneimine, 479
So, M. T., Eirich, F. R., Strathmann, H., and R. W. Baker: Preparation of Asymmetric Loeb-Sourirajan Membranes, 201
Southern, J. H. and Wilkes, G. L.: Transparent High Density Polyethylene Films Crystallized Under Orientation and Pressure, 555
Soutif, J. C.: see Pinazzi, C. P.
Stafford, L.: see Goldfinger, G.
Stannett, V. T.: see Kim, S.
Strathmann, F. R.: see So, M. T.
Sudduth, R. D. and Rogers, C. E.: Structure of Cellulose Acetate Desalination Membranes, 603
Sumitomo, H., Hashimoto, K., and Ando, M.: Synthesis and Polymerization of 8-Oxa-6-azabicyclo(3.2.1)octan-7-one, 635
Sung, M-T.: see Golub, M. A.
Suprunchuk, T.: see Carlsson, D. J.
Suzuki, Y., Hasegawa, M., and Nishikawa, N.: A New Type of Photoreactive Polyamide: Polyhexamethylene Trans-3,Cis-4-Bis(2-Hydroxyphenyl)1,Trans-2-Cyclobutane Dicarboxylamide, 173
Szöcs, F.: see Tiňo, J.
–, Borsig, E., and Plaček, J.: Function of Free Monomer in the Generation of Free Radicals in Polymeric Matrix at High Pressure, 185
Sztark, M.: see Bottreau, A. M.
Tadmor, Z.: see Meyuhas, G. S.
Tagawa, T.: see Hagiwara, M.
Takeshita, T.: see Tsuji, K.
Tamura, N.: see Sakamoto, M.
Tamura, S.: see Murakami, K.
Tanaka, Y. and Hatada, K.: Carbon-13 NMR of UV-Isomerized Polybutadiene Study of ^{13}C-NMR Signal Due To Cis-Trans Linkage, 569
Teplyakov, M. M.: see Korshak, V. V.
Teyssié, Ph.: see Warin, R.
–: see Thomassin, J. M.
Thirion, P.: Empirical Extension of the Molecular Theory of Rouse to the Viscoelasticity of Bulk Polymers, 673
Thomassin, J. M., Walckiers, E., Warin, R.,

and Teyssié, Ph.: Investigation of the Structure of (cis-trans) 1,4 Equibinary Polybutadiene, 229
Tiňo, J. and Szöcs, F.: Analysis of the ESR Spectra of Oriented Polyamide 6, 323
Tonelli, A. E.: Effect of the Terephthaloyl Residue on Chain Flexibility of Poly-(Ethylene Terephthalate), 441
Treiber, G., Melillo, L., and Wunderlich, B.: The Effect of Solvent Concentration on the Crystallization of Polyethylene under Elevated Pressure, 435
Troitskii, B. B.: see Razuvaev, G. A.
Tsuchida, E.: see Hagiwara, M.
Tsuji, K.: Electron Spin Resonance Study of Polyethylene Irradiated with Ultraviolet Light: Effect of Addition of Ferric Stearate, 351
– and Takeshita, T.: Electron Spin Resonance Studies of Hindered Rotation in Poly(2,6-Dimethyl Phenylene Oxide) Radicals, 491
Tsukada, M.: see Konda, A.
Ugelstad, J., El-Aasser, M. S., and Vanderhoff, J. W.: Emulsion Polymerization Initiation of Polymerization in Monomer Droplets, 503
Uryu, T., Shimazu, H., and Matsuzaki, K.: Stereoregularity of Poly(propylene Oxide) by Carbon-13 NMR Spectroscopy and the Mechanism of Polymerization, 275
Utracki, L. A.: Viscosity of Linear and Branded Polymers in Concentrated Solutions and Melt, 717
van Aartsen, J. J.: see Northolt, M. G.
van Broekhoven, J. A. M.: see Clague, A. D. H.
van der Does, L., Hofman, J., and van Utteren, T. E. C.: Reaction of N-Chlorsulfonylisocyanate with Unsaturated Polymers. Route to a Synthesis of Polyampholytes, 169
Vanderhoff, J. W.: see Ugelstad, J.
van Utteren, T. E. C.: see van der Does, L.
Wada, T. and Machi, S.: Bimodal Molecular Weight Distribution of Poly (vinyl Acetate) Produced in n-Hexane by Radiation, 115
Waite, R. J.: see Baker, R. T. K.
Walckiers, E.: see Thomassin, J. M.
Warin, R.: see Thomassin, J. M.
–, R., Teyssié, Ph., Bourdaudurq, P., and Dawans, F.: PMR Structural Study of Trifluoroacetato-h³-Allyl Nickel Complexes in Butadiene, 1,4-Polymerization, 177
Watterson, A. C.: see Blumstein, R.
Wegner, G.: see Mateva, R.
Welch, C. M.: see Snyder, S. L.
Welygan, D. G. and Burns, C. M.: Effect of Molecular Weight Distribution on Cloud Point Curves for the System Polystyrene/Polybutadiene/Tetralin, 339
Wiles, D. M.: see Carlsson, D. J.
Wiles, M.: see Afifi-Effat, A. M.
Wilkes, G. L.: see Southern, J. H.
Williams, E. and Angell, C. A.: Glass Transition with Negative Change in Expansion Coefficient, 383
Wolgemuth, L. G. and Burk, E. H.: Polyurethanes from the Reaction of 5,5′-Tetramethylenedi-(1,3,4-Dioxazol-2-One) with Glycols, 285
Wunderlich, B.: see Treiber, G.
Yamaoka, H.: see Kodaira, T.
Yoda, O.: see Sakamoto, M.
Yoshihara, M.: see Matsubara, Y.
Yoshimura, M., Shirota, Y., and Mikawa, H.: Mechanism of Charge-Transfer Polymerization: Formation of an Alternating Copolymer between N-Vinylcarbazole and Diethyl Fumarate, 459
Zapata, L., Fripiat, J. J., and Mercier, J. P.: A New Type of Elastomer Derived from Chrysotile Asbestos, 689

SUBJECT INDEX, VOLUME 11

ABS resins, preferential solvation and difference of composition between grafted and ungrafted SAN copolymers in, 257
Acetylene and butadiene, random copolymerization of, 573
Acetylenic compounds, various, radiation-induced crosslinking of polyethylene in the presence of, 613
Acid, effect of, on the radiation-induced copolymerization of monomers to cellulose, 711
Acrylamide and acrylic acid, effect of zinc chloride on copolymerization of, 161
with acrylonitrile, solvent effect on radio chemical copolymerization of, 267
Acrylic acid and acrylamide, effect of zinc chloride on copolymerization of, 161
Acrylic monomers, anion radicals of, in γ-irradiated organic glasses at 77°K, 309
Acrylonitrile, dehydration effect to radiation induced polymerization of, 81
Acrylonitrile, effect of supporting electrolyte on electroinitiated polymerization of, 5
with acrylamide, solvent effect on radiochemical copolymerization of, 267
N-acryloyldibinz, (b,f)azepine, new monomer for synthesis of photocrosslinkable copolymers, 415
3(2-substituted)6-acryloxypyridazinones, polymerization of, 303
Allyl xanthatate substitution, thermal stabilization of poly(vinyl chloride) by, 705
Alycyclic ring structures, in chain, conformational-induced relaxation effects in polymers containing, 515
Antioxidant, chemically bonded, polymer stabilization with a, 357
Asbestos, Chrysotile, new type of elastomer derived from, 689
Autoxidation, polypropylene glycol, oxygen inhibition in, 157
Bicyclo[6.1.0]non-4-ene, ring-opening polymerization of, 1
Biréfringence, mesures en ondes millimètriques par etirement d'elastomers, 173
Bis(dithiocarbonyl chlorides) reaction of with dithiols, new route to alternating copolydisulfides, 679
Bis(oxycarbonyl) disulfides. Dithiols, oxidative coupling with sulphur containing polymers, 225
effective reagents for oxidative coupling, 225
BSA, pseudo-raman behavior of scattering broad band of, 725
Butadiene,and acetylene, random copolymerization, study of, 573
1,4-polymerization, PMR structural study of trifluoroacetato-h^3-allylnickel complexes in, 177
stereospecific, trans-1,4-polymerization of, by alkenyl amine-potassium salts, 15
Carbon dioxide and n-phenylethyleneimine, copolymerization of, 479
Carbon tetrachloride medium, complex formation of methyl methacrylate with Ziegler-Natta catalyst complex in, 745
Cellulose, 3,5-dinitrobenzoyl cotton, charge-transfer complexes of, 695
Chain flexibility of poly(ethylene terephthalate), effect of terephthaloyl on, 441
Chemical structure and volume, relationship between, at glass transition temperature, 767
Chemorheology of linear polymers, 313
N-Chlorsulfonylisocyanate, reaction of with unsaturated polymers, 169
with unsaturated polymers, reaction of, route to a synthesis of polyampholytes, 169
Chromatography, inverse, studies of polyacrylonitrile by, 233
Color of a fiber bundle, prediction of, 701
Colorant, effect of the distribution of on color of fibers, 481
Complexes, charge-transfer, of 3,5-dinitrobenzoyl cotton cellulose, 695
Copolydisulfides, new route to alternating reactor of Bis(dithiocarbonyl chlorides) with dithiols, 679

Copolymer, ethylene-vinyl acetate, thermal degradation of, 521
Copolymerization of carbon dioxide and n-phenylethyleneimine, 479
Copolymerization, radiation induced, effect of acid on the, of monomers to cellulose, 711
of acrylic acid and acrylamide, effect of zinc chloride on, 161
radiochemical, of acrylamide with acronlonitrile, solvent effect on, 267
random, of acetylene and butadiene, 573
Copolymers, block, new method of studying the structure of in solution, 645
highly branched graft, novel method for preparing, 221
photocrosslinkable, N-acryloyldibenz (b,f)-azepine, new monomer for synthesis of, 415
SAN ungrafted and grafted, in ABS resins, preferential solution and difference in composition between, 257
Crosslinked polyamide-quinoxalines, 29
Crosslinked polymers, degradation mechanism of under different atmosphere, 529
Crosslinking, radiation-induced, of polyethylene in the presence of various acetylenic compounds, 613
π-Crotylnickel iodide, polymerization of butadienes C_4H_6, C_4D_6, and $C_4D_4H_2$ under influence of, 193
Crystal and molecular structure of poly(p-phenylene terephthlamide), 333
Crystallization of polyethylene under elevated pressure, effect of solvent concentration on, 435
Degradation mechanism, of crosslinked polymers under different atmosphere, 529
of natural rubber vulcanizates at high temperature, 317
Degradation, thermal, of ethylene-vinyl acetate copolymer, 521
Deuterium coupling, effect of on NMR spectrum of poly(propene-2-d_1 sulfide), 245
Diacetylaromatic compounds, new method for synthesis of polymers of polyphenylene type applying polycyclocondensation of, 583
9,9-Dichloro bicyclo[6.1.0]non-4-ene, ring-opening polymerization of, 1
Dichroism spectra, circular, effect of strong acids on, of stereoregular polyamides derived from (+)-1,3-trans-cyclohexane-dicarboxylic acid, 625
1,5-diene, cis-trans-cyclodeca, ring-opening polymerization of, 263
Diethyl fumarate and n-vinyl carbazole, formation of alternating copolymer between, mechanism of charge-transfer polymerization, 459
Dilute solution crystallization of polyethylene and polyoxymethylene, solvent influence on, 73
Dithiols, effective reagents for oxidative coupling of, Bis(oxycarbonyl) disulfides, 225
Droplets, monomer, emulsion of polymerization in, 503
Elastomer, new type, derived from chryotile asbestos, 689
Electroinitiated polymerization of acrylonitrile, effect of supporting electrolyte on, 5
Electron spin resonance studies of hindered rotation in poly(2,6-dimethyl phenylene oxide) radicals, 491
Emulsion particle of poly(vinyl acetate) by freeze-etching technique, microstructure of, 113
ESPR spectra of oriented polyamide 6, analysis of, 323
Ethanesultam with water catalysis, novel polysulfonamide by ring-opening polymerization of, 271
Etirement d'elastomers, mesures en ondes millimètriques de la biréfringence par, 173
Expansion coefficient, glass transition with negative change in, 383
Expansion coefficients and glass temperature, relation between, 33
Extruder reactor, continuous polymerization in, 103
Fibers, color of, effect of distribution of colorant on, 481
Freeze-etching technique, microstructure of emulsion particle of poly(vinyl acetate) by, 113
Generation of free radicals in polymeric matrix at high pressure, function of free monomer in, 185
Glass temperature and expansion coefficients, relation between, 33
Glass transition temperature, relationship between volume and chemical structure at, 767
Glass transition with negative change in

expansion coefficient, 383
Grafting, acid catalyzed, of monomers to wool, 651
Homopolymerization, radical catalyzed, of maleic anhydride, participation of excited species in, 253
Hydrocarbons and polyethylene, effect of ionizing radiation in their crystalline state, 737
Hydrogenation of polypentanamer and thermal properties of resulting products, 427
Hydrosilyation of unsaturated polyesters, 327
Immobilization of biologically specific molecules, new type of polymeric carrier for, 189
γ-Irradiated organic glasses at 77°K, anion radicals of acrylic monomers in, 309
Kinetics, growth, of polyethylene crystals from dilute xylene solution, 363
Locus, yield of polycarbonate, 563
Loeb–Sourirajan membranes, preparation of asymmetric, 201
Maleic anhydride, participation of excited species in radical catalyzed homopolymerization of, 253
Martin equation, graphical solution of, 485
Membrane, Loeb–Sourirajan, preparation of asymmetric, 201
Membranes, cellulose acetate desalination, structure of, 603
skinned, preparation of without evaporation step, 453
Microscopic observation, continuous electron, of behavior of Ziegler-Natta catalysts, 45
Methyl azelaaldehydate glycerol acetals, crystal structures of poly(ester acetals), 609
Methyl methacrylate, complex formation of, with Ziegler-Natta catalyst complex, in carbon tetrachloride medium, 745
1-Methyl-3-p-trolytriazene, improved methylating agent for poly(methacrylic) acid, 121
Molecular and crystal structure of poly(p-phenylene terephthalamide), 333
Molecular theory of rouse, empirical extension of the to the viscoelasticity of bulk polymers, 673
Molecular weight distribution, bimodal, of poly(vinyl acetate), produced in n-hexane by radiation, 115
dependence of zero-shear viscosity on, 95
of polymers, determination of by temperature drop turbidimetry, 87
Monomer, free, function of in generation of free radicals in polymeric matrix at high pressure, 185
NMR spectrum, ^{13}C, of equibinary (cis-1,4-trans-1,4) polybutadiene, 239
NMR, ^{13}C, of 1,4-polybutadiene, 299
^{13}C, of UV-isomerized polybutadiene study of ^{13}C–NMR signal due to cis-trans linkage, 569
^{13}C, signal due to cis-trans linkage, ^{13}C NMR of UV – isomerized polybutadiene, study of, 569
of polybutadiene, 300 MHz proton, measurement of cis-trans isomeric content, 449
proton, of polybutadiene at 300 MHz, cis-1,4-trans-1,4 linkages, 453
spectroscopy, ^{13}C, and mechanism of polymerization, stereoregularity of poly(propylene oxide) by, 275
spectrum of poly(propene-2-d_1 sulfide), effect of deuterium-decoupling on, 245
H, 300 MHZ, study of the structure and concentration of propagating species during the polymerization of 1,3,3-trimethylazetidine, 497
Nitrobenzene, growth of polyoxymethylene crystals during cationic polymerization of trioxane in, 369
8-oxa-6-azabicyclo[3.2.1]octan-7-one, synthesis and polymerization of, 635
N-Phenylethyleneimine and carbon dioxide, copolymerization of, 479
Photocrosslinkable copolymers, n-acryloyldibenz (b,f)azepine, new monomer for synthesis of, 415
Photodegradation of poly(1,3-phenylene isophthalamide) films in air, 697
Photodegradation of poly(1,3-phenylene isophthalamide) films under vacuum, 149
Photodegradation of polypropylene, involvement of singlet oxygen, 759
Photoreactive polyamide, new type of: polyhexamethylene trans-3, cis-4-bis(2-hydroxyphenyl)-1, trans-2-cyclobutane dicarboxylamide, 173
Photostabilization of pololefins, possible importance of singlet oxygen quenching reactions, 61
PMR structural study of trifluoroacetate-h^3-

allyl nickel complexes in butadiene 1,4-polymerization, 177
Polyacrylonitrile, studies of, by inverse chromatography, 233
Poly(amide-imide imides), novel, pseudo-gelation in, 139
Polyamide-quinoxalines, crosslinked, 29
Polyamides, stereoregular, derived from (+)-1,3-trans-cyclohexanedicarboxylic acid, effect of strong acids on circular dichronism spectro of, 625
structurally rigid, application of lanthanide shift reagents to study of conformation of, 619
Poly(alkyl-and Aryl-p-phenoxyphenylsulfonium salts), preparation of, 721
Polyampholytes, reaction of n-chlorsulfonyl-isocyanate with unsaturated polymers, route to synthesis of, 169
Polybutadiene, ^{13}C NMR of UV-isomerized, study of ^{13}C-NMR signal due to cis-trans linkage, 509
(cis-trans) 1,4 equibinary, investigation of structure of, 229
polystyrene/tetralin, effect of molecular weight distribution on cloud point curves for system, 339
proton NMR of, at 300 MHz, measurement of cis-1,4-trans-1,4 linkages, 453
proton, 300 MHz NMR, measurement of cis-trans isomeric content, 449
1,2-Polybutadiene and 3,4-polyisoprene, cyclization of, 129
1,4-Polybutadiene, ^{13}C NMR or, 299
Polycarbonate, yield locus of, 563
Polycyclocondensation of ketals, new method of synthesis of polyphenylene type polymers, using, 589
Poly(2,6-dimethyl phenylene oxide) radicals, electron spin resonance studies of hindered rotation in, 491
3,4-Polyisoprene and 1,2-polybutadiene, cyclization of, 129
Poly(ester acetals) of methyl azelaaldehydrate glycerol acetals, crystal structures of, 609
Polyesters, unsaturated, hydrosilylation of, 327
Polyethylene, and hydrocarbons, effect of ionizing radiation in their crystalline state, 737
and polyoxymethylene, solvent influence on the dilute solution crystallization of, 73
crystals, growth kinetics of, from dilute xylene solution, 363
effect of solvent concentration on crystallization under elevated pressure, 435
films, transparent, high density, crystallized under orientation and pressure, 555
high temperature thermoluminescence in, 165
negative coefficient of thermal expansion in, 121
radiation-induced crosslinking of, in presence of various acetylenic compounds, 613
Poly(ethylene terephthalate), effect of terephthaloyl residue on chain flexibility of, 441
Young's modulus of, 775
Polymer, stabilization with a chemically branded antioxidant, 357
composites, analysis of curing kinetics in, 533
Polymeric carrier, new type of, for immobilization of biologically specific molecules, 189
Polymers, biodegradable, new class of, 731
conformational-induced relaxation effects in, containing in-chain alycyclic ring structures, 515
crosslinked, degradation mechanism of under different atmosphere, 529
determination of molecular weight distribution by temperature drop turbidimetry, 87
fast stable photosensitive containing cyclopropene groups, 25
linear and branded, viscosity of, in concentrated solutions and melt, 717
linear, chemorheology of, 313
polyphenylene type, new method for synthesis of, applying polycyclocondensation of diacetylaromatic compounds, 583
polyphenylene type, new method of synthesis using polycyclocondensation of ketals, 583
unsaturated, reaction of N-chlorsulfonyl-isocyanate with, route to a synthesis of, 169
viscoelasticity of bulk, empirical extension of molecular theory of Rouse to the, 673
Polymerization, and synthesis of 8-oxa-6-azabicyclo[3.2.1]octan-7-one, 635

and synthesis of 2-vinylimidazole and 2-vinylbenzimidazole, 461
cationic, of trioxane in nitrobenzene, growth of polyoxymethylene crystals during, 369
cationic, ring opening, of spiro-carbonates, 631
charge transfer, mechanism of; formation of alternating copolymer between n-vinyl-carbazole and diethyl fumarate, 459
electrochemical, of trioxane with tetra-ethylammonium hexachlorantimonate, 753
emulsion, initiation of in monomer droplets, 503
free radical, kinetics of, of vinylferrocene, 471
mechanism of, and ^{13}C NMR spectroscopy, stereoregularity of poly(propylene oxide) by, 275
of acrylonitrile, radiation induced, dehydration effect to, 81
of 3(2-substituted)6-acryloxypyridazinones, 303
of 1,3,3-trimethylazetidine, NMR study of structure and concentration of propagating species during the, 497
ring-opening, of bicyclo[6.1.0]non-4-ene and 9,9 dichloro bicyclo[6.1.0]non-4-ene, 1
ring-opening, of cis, trans-cyclodeca 1,5-diene, 263
ring opening, of ethanesultam with water catalysis, novel polysulfonamide by the, 271
some aspects of, of α-methyl styrene and n-vinyl pyrrolidone by $AsCl_3$ and $PoCl_3$, 639
stereospecific, trans-1,4, of butadiene by the alkenyl amine-potassium salts, 15
Poly(methacrylic) acid: improved methylating agent for: 1-methyl-3-p-tolytriazene, 21
Polymethacrylonitrile, ^{13}C NMR spectroscopy of, 55
Polyoxymethylene and polyethylene, solvent influence on dilute solution crystallization of, 73
Polyoxymethylene crystals, growth of, during cationic polymerization of trioxane in nitrobenzene, 369
Polypentanamer, hydrogenation of and thermal properties of resulting products, 427
Polyphenylene, type polymers, new method for synthesis of, applying polycyclocondensation of diacetylaromatic compounds, 583
type polymers, new method of synthesis of, using polycyclocondensation of ketals, 583
Poly(1,3-phenylene isophatalamide) films, under vacuum, photodegradation of, 149
in air, photodegradation of, 679
Poly(p-phenylene terephthalamide), on the crystal and molecular structure of, 333
Poly(propene-2-d_1 sulfide), effect of deuterium-decoupling on NMR spectrum of, 245
Polypropylene, composites, thermoplastic fiber reinforced, having a transcrystalline morphology, 279
glycol autoxidation, oxygen inhibition in, 157
involvement of singlet oxygen photodegradation of, 759
Poly(propylene oxide), stereoregularity of, by ^{13}C NMR spectroscopy and mechanism of polymerization, 275
Polystyrene/polybutadiene/tetralin, effect of molecular weight distribution on cloud point curves for system, 339
Polysulfonamide, novel, by ring-opening polymerization of ethanesultam with water catalysis, 271
Polytetrafluoroethylene, measurements of longitudinal acoustic phonons in, 377
Polyurethanes, from reaction of 5,5'-tetramethylenedi-(1,3,4-dioxazol-2-one) with glycols, 285
Poly(vinyl chloride), thermal stabilization of by allyl xanthatate substitution, 709
Proton, 300 MHz NMR, of polybutadiene, measurement of cis-trans isomeric content, 449
Protons, longitudinal acoustic, measurements of, in polytetrafluoroethylene, 377
Pseudo-gelation in novel poly(amide inide imides), 139
Pyrrolidone, n-vinyl and α-methyl styrene, some aspects of polymerization of, by $AsCl_3$ and $PoCl_3$, 639
Radiation, ionizing, effect of on hydrocarbons and polyethylene in their crystalline state, 737
induced polymerization of acrylonitrile,

dehydration effect to, 81
Reagents, lanthanide shift, applicator of, to study of conformation of structurally rigid polyamides, 619
Relaxation effects, conformational induced, in polymers containing in-chain alicyclic ring structures, 515
Singlet oxygen quenching reactions, possible importance of in photostabilization of pololefins, 61
Solution, dilute xylene, growth kinetics of polyethylene crystals from, 363
Spiro-orthocarbonates, cationic ring-opening polymerization of, 631
Styrene, α-methyl and n-vinyl pyrrolidone, some aspects of polymerization of by $AsCl_3$ and $PoCl_3$, 639
Synthesis, and polymerization of 8-oxa-6-azabicyclo[3.2.1]octan-7-one, 635
and polymerization of 2-vinylimidazole and 2-vinylbenzimimidazole, 461
of photocrosslinkable copolymers, n-acryloyldibenz(b,f)azepine, new monomer for the synthesis of, 415
of 2-vinylbenzimidazole, 465
Tetraethylammonium hexachloroantimonate electrochemical polymerization of, 755
Tetralin/polystyrene/polybutadiene, effect of molecular weight distribution on cloud point curves for the system, 339
5,5′-Tetramethylenedi-(1,3,4-dioxazol-2-one) with glycols, polyurethanes from reaction of, 285
Terephthaloyl residue, effect of on chain flexibility of poly(ethylene terephthalate), 441
Thermal, cyclization of 1,2-polybutadiene and 3,4-polyisoprene, 129
expansion, negative coefficient of, in polyethylene, 121
properties of resulting products from hydrogenation of polypentanamer, 427
property of wool keratin with drawing, change of, 247
Thermoluminescence, high temperature, in polyethylene, 165
Triacetate, cellulose, in solution a conformational change, 421
Trifluoroacetato-h^3-allyl nickel complexes in butadiene 1,4-polymerization, PMR structural study of, 177
1,3,3-Trimethylazetidine, NMR study of structure and concentration of propagating species during the polymerization of, 497
Trioxane, in nitrobenzene, growth of polyoxymethylene crystals during cationic polymerization of, 369
with tetraethylammonium hexachloroantimonate, electrochemical polymerization of, 755
N-Vinyl-carbazole and diethyl fumarate, formation of alternating copolymer between: mechanism of charge-transfer polymerization, 459
2-Vinylbenzimidazole, and 2-vinylimidazole, synthesis and polymerization of, 465
synthesis of, 461
Vinylferrocene, kinetics of free radical polymerization of, 471
Viscosity temperature relation, useful, 667
Volume and chemical structure, relationship between, at glass transition temperature, 767
Vulcanizates, natural rubber, degradation mechanism of at high temperature, 317
Wool keratin with drawings, change of thermal property of, 247
Young's modulus of polyethylene, 775
Ziegler-Natta catalyst, complex in carbon tetrachloride medium, complex formation of methyl methacrylate with, 745
continuous electron microscopic observation of behavior of, 45
Zero-shear viscosity, dependence of, on molecular weight distribution, 103
Zinc chloride, effect on copolymerization of acrylic acid and acrylamide, 161